

## **CURTIS ISLAND**



### **River Basin Summary**

Population (2006):<sup>1</sup> 16

Major Towns:<sup>1</sup> None

Major Rivers:<sup>2</sup> Boat Creek, Middle Creek, Badger Creek

Surface Water Storages: 2, 3, 4

Largest known storages:

None

No. of storages:

0

Storage capacity (ML):

0

**Licensed Irrigation:** 

Largest areas: None

Number of licenses: n/a

Average annual allocation (ML):

 Since 1996-97:
 n/a

 Minimum:
 n/a

 Maximum:
 n/a

Average annual diversion (ML):

Since 1996-97: n/a
Minimum: n/a
Maximum: n/a

#### **Groundwater:**

Number of production bores:<sup>7</sup>


Recharge rate (mm/year): 8 Data being compiled Yield (ML/year): 8 Data being compiled Extraction (ML/year): 7 Data being compiled

### **Rainfall Reliability:**

Chance of receiving average seasonal rainfall: 8 Low (4 to 4.5 yrs in 10)



<sup>&</sup>lt;sup>1</sup> Australian Bureau of Statistics (2006); <sup>2</sup> Geosciences Australia (1999); <sup>3</sup> National Land and Water Resources Audit (2000); <sup>4</sup> Australian National Committee on Large Dams (2004); <sup>5</sup> Australian National Committee - International Commission on Irrigation and Drainage (2005); <sup>6</sup> Murray Darling Basin Commission (2005); <sup>7</sup> State Agencies (2006); <sup>8</sup> Bureau of Rural Sciences (2007); <sup>x</sup> Incomplete



## **CURTIS ISLAND**

# **Modelled Annual Water Balance**

Land Use Type	Area	Precipitation	Runoff	ET (ML)	Deep drainage	Irrigation	Return flow
	(sqkm)	(ML)	(ML)		(ML)	(ML)	(ML)
Closed Forest	61	53,960	2,655	50,526	779	0	0
Open Forest	89	79,615	5,399	73,044	1,171	0	0
Plantation	0	0	0	0	0	0	0
Woodland	209	183,465	21,716	159,066	2,683	0	0
Woody Pasture	0	0	0	0	0	0	0
Shrubby Pasture	28	24,843	4,890	19,559	394	0	0
Pasture	31	26,935	6,405	20,136	395	0	0
Irrigated Pasture	0	0	0	0	0	0	0
Winter Crops	0	0	0	0	0	0	0
Summer / Fodder Crops	0	0	0	0	0	0	0
Irrigated Crops	0	0	0	0	0	0	0
Sugarcane	0	0	0	0	0	0	0
Irrigated Sugarcane	0	0	0	0	0	0	0
Cotton	0	0	0	0	0	0	0
Irrigated Cotton	0	0	0	0	0	0	0
Horticulture	0	0	0	0	0	0	0
Irrigated Horticulture	0	0	0	0	0	0	0
Bare Ground	13	11,139	4,077	6,908	154	0	0
Intensive Use	0	0	0	0	0	0	0
Water	90	77,168	25,225	50,868	1,075	0	0
Entire Basin	578	506,772	70,367	429,753	6,651	0	0
NLWRA <sup>1</sup>	570	n/a	79,000	n/a	n/a	0	n/a
AWRC <sup>2</sup>	570	n/a	43,000	n/a	n/a	n/a	n/a

Data Sources: Land use data sourced from the Bureau of Rural Sciences. Precipitation data sourced from the Australian Bureau of Meteorology. All other data derived from the Bureau of Rural Sciences' steady-state annual water balance model.

<sup>&</sup>lt;sup>1</sup>National Land and Water Resources Audit (2000); <sup>2</sup>Australian Water Resource Council (1987); n/a = Not available


# **CURTIS ISLAND**

## Average Annual Water Resource Summary (GL)

Water Supply			
Runoff:1	70		Por
Transfers: 1, 2	0		200-
Groundwater Sustainable Yield: <sup>3</sup>	0		
Total:	70		150-
		llimeters	100-

## Water Use

Irrigation:  $^{1}$  0 Residential:  $^{1}$  <1 Commercial/Industrial:  $^{3}$  0 Rural (Stock/Domestic):  $^{*,3}$  0 Transfers:  $^{1,2}$  0 Total: <1



### Total Use (% of Supply): <1%

#### **River Flows**


Retained in Storage: 0

Environmental Flows: Data being compiled

Transmission Losses: 18

Return Flows: 1 <1

Outflow: 53



<sup>&</sup>lt;sup>1</sup>Bureau of Rural Sciences (2007); <sup>2</sup>Australian Water Resource Council (1987); <sup>3</sup>National Land and Water Resources Audit (2000) <sup>#</sup>Groundwater only; <sup>\*</sup>Surface water only; <sup>~</sup>5% of total storage; <sup>^</sup>25% of runoff; <sup>x</sup>incomplete

 $<sup>^{@}\</sup>textit{Surface water (supply - use - retention in storage - transmission losses + environmental flows + return flows)}$